


DYNAGATE FULLY AUTOMATIC GATE FOR CENTRE STRIP CROSSING

DYNAGATE – THE CENTRE STRIP CROSSING SYSTEM FROM DYNAROADS.

DynaGate is a movable barrier which enables traffic to cross over the centre strip, e.g. near tunnels or bridges. The system comes with a choice of either one or two movable barriers. The modular construction allows the length to be determined by the project specifications. This allows for easy maintenance, expansion and replacement of component parts. The system can be operated in situ or conveniently remotely operated from a traffic control centre. It has a manual or automatic operating mode. Should the power supply be interrupted, DynaGate can be operated in emergency mode (with a cordless screwdriver) or via an external power source.





DYNAGATE TECHNICAL SPECIFICATIONS

Width x height: 60 cm x 84 cm

Length: up to 200 m /

according to project specifications

Restraint system: H2

(EN1317)

Power supply: 3 x 230 V

(16 - 25 A)

Switching time: ca. 3 min

OPTIONS

- LED running lights, dimmable, in intervals of 3 m
- LED arrow sign, dimmable
- Reflector strips (red and white)
- Uninterruptible power supply (UPS)



MOVING TRAFFIC SOLUTIONS



Zugerstrasse 30 CH-6340 Baar info@dynaroads.com Phone +41 (0)79 171 06 36